



राजपत्र, हिमाचल प्रदेश

हिमाचल प्रदेश राज्य शासन द्वारा प्रकाशित

शिमला, शनिवार, 18 अप्रैल, 2009 / 28 चैत्र, 1931

हिमाचल प्रदेश हाई कोर्ट

NOTIFICATIONS

Shimla-1, the 28th March, 2009

REGULATIONS FOR {PROMOTION FROM AMONGST THE CIVIL JUDGES (SENIOR DIVISION) TO THE POSTS OF DISTRICT/ADDITIONAL DISTRICT JUDGES ON THE BASIS OF LIMITED COMPETITIVE EXAMINATION} REGULATIONS, 2005

No. HHC/Rules.22(25)/83.— In exercise of the powers conferred under Rule 2(1)(g)(i) & (ii) read with Rule 5 of the Himachal Pradesh Judicial Service Rules, 2004, Hon'ble the Chief Justice and the Hon'ble Judges, High Court of H.P., are pleased to make the following Amendments(s) in "The Himachal Pradesh Judicial Service (Promotion from amongst the Civil Judges (Sr. Division) to the posts of District/Additional District Judges on the basis of limited Competitive Examination) Regulation, 2005".

1. Short title.—These Regulations may be called "The Himachal Pradesh Judicial Service {Promotion from amongst the Civil Judges (Sr. Division) to the posts of District/Additional District Judges on the basis of limited Competitive Examination}(first amendment) Regulations, 2009."

2. Commencement.—These Regulations shall come into force with immediate effect.

3. Amendment.—Regulation No. 3, 4 and 8 of the “The Himachal Pradesh Judicial Service (“The Himachal Pradesh Judicial Service (Promotion from amongst the Civil Judges (Sr. Division) to the posts of District/Additional District Judges on the basis of limited Competitive Examination) Regulation, 2005”.” shall be added as follows:

Submission of Applications/Allocation of Marks.—**3(A)** The application shall be submitted by the eligible Civil Judges(Sr.Division) for appointment to the cadre of District Judges/Addl.District Judges on the basis of Limited competitive examination, who fulfill the qualifications as provided in Rule 5 of Himachal Pradesh Judicial Service Rules, 2004, in the format given in schedule-I to these Rules.

(B). The competitive examination for promotion from amongst the Civil Judges (Sr. Division) to the post of District/Addl. District Judges on the basis of limited competitive examination shall consist of :-

(i) **Written examination:**

(a) Objective questions with multiple choice questions which can be scrutinized with the help of the computer; and	200 marks
--	-----------

(b) Subjective/narrative	200 marks
--------------------------	-----------

(ii) Viva voce

Total:	<u>100 marks</u> <u>500 marks</u>
---------------	---

4. Constitution of the Committee.— (i) The examination committee shall consist of:-

(a) Chairman:	Chief Justice.
---------------	----------------

(b) Members:	Two or three Judges of the High Court, as may be nominated by the Chief Justice.
--------------	--

(c) Secretary:	Registrar General or such other officer of the High Court as may be nominated by the Chief Justice.
----------------	---

(ii) The committee shall be over all in-charge of the examination and shall be responsible to ensure the implementation of these Regulations.

Note.—(1) Serial No.4 to 7 shall accordingly be renumbered as serial No. 5 to 8 in the Regulations.

(2) Words Paper-I, Paper-II, Paper-III and note shall stand deleted from the “Subject and Syllabus”.

8. Result.—(a) The Result shall be put on the website and also published in the newspaper.

(b) Select list shall be published in the order of merit and shall be double the number of vacancies notified.

(c) Select list shall be valid till the next select list is published.

By order,
K. L. SHARMA,
Registrar (Rules).

Schedule -I

{Refer to Regulation 3(A)}

FORMAT OF THE APPLICATION

1. Name :
2. Father's/Husband's name:
3. Date of Birth:
4. Nationality:
5. Academic Qualification:
6. Date of appointment as Civil Judge (Sr. Division):
7. Total length of service as Civil Judge (Sr. Division).
8. Permanent address:
9. Address for correspondence
With PIN:

Past your
Passport size
Photograph here

Place:

Date: Signature of the applicant.

Verification:

Verified that the above information is true and correct to the best of my knowledge. No part of it is false or incorrect and nothing material has been concealed therefrom.

Verified on this the (dated) _____ Day of
(Month) _____ 200__ at _____.

Signature of the applicant.

REGULATIONS PROVIDING FOR MERIT-CUM-SUITABILITY TEST FOR PROMOTION TO THE CADRE OF DISTRICT JUDGES/ADDITIONAL DISTRICT JUDGES FROM AMONGST THE CIVIL JUDGES (SENIOR DIVISION) NOTIFICATION

No. HHC/Rules 22(25)/83.—In exercise of the powers conferred under Rule 2(1)(g) read with Rule 5 of the Himachal Pradesh Judicial Service Rules, 2004, Hon'ble the Chief Justice and the Hon'ble Judges, High Court of H.P., are pleased to make the following Amendments(s) in "The Himachal Pradesh Judicial Service (Suitability Test for Promotion to the Cadre of District Judges/Additional District Judges) from amongst the Civil Judges (Senior Division) Regulations, 2004":-

1. Short title.—These Regulations may be called "The Himachal Pradesh Judicial Service (Suitability Test for Promotion to the Cadre of District Judges/Additional District Judges) (1st Amendment) Regulations, 2009."

2. Commencement.—These Regulations shall come into force with immediate effect.

3. Amendment.—Regulation No.3 and 7 of The Himachal Pradesh Judicial Service (Suitability Test for Promotion to the Cadre of District Judges/Additional District Judges) Regulations, 2004 shall be substituted/added as under:

Suitability Test.—3: Suitability of an officer of the cadre of Civil Judge (Senior Division) for promotion to the cadre of District Judges/Additional District Judges shall be determined on the basis of the examination of judgments, assessment of the A.C.Rs for the last five years and performance in the oral interview, as under:-

- (i) Evaluation of five civil and five criminal judgments rendered by the eligible Judicial Officer during the last one year in any month to be specified by the Hon'ble Chief Justice.

.. 50 marks.

Provided that where the concerned Civil Judge (Senior Division) is working on a post in which he does not have to write judgments such as a deputation post in the High Court or in any other authority or Forum or Government etc. the expression "last one year" shall be construed as the last one year prior to his aforesaid posting meaning thereby "such a year" in which he was occupying a post/holding an appointment in which he had to write judgments.

- (ii) Evaluation of ACRs for the last five years

.. 40 marks.

- (iii) Performance in the oral interview

.. 10 marks

Total : 100 marks

7. Functions and Factors to be considered by the committees.—(1) The "First Committee" shall evaluate ACRs of the eligible Judicial Officers and conduct viva voce test.

(2) While assessing the ACRs the "First Committee" shall make evaluation on the basis of the entries in the various columns of the ACRs and the assessment will not be made only on the basis of the entry made against the last column (Net result) so far as the ACRs are concerned. The Committee shall also examine the performance in the oral interview.

(3) (a) The “Second Committee” shall examine the Judgments of the eligible Judicial Officers.

(b) The Judgments shall be evaluated having due regard to the following factors:-

- (i) Knowledge of Law
- (ii) Collation and appreciation of facts
- (iii) Correctness of conclusions
- (iv) Language
- (v) Clarity and Reasoning.

(c) The final marks obtained shall be worked out by process of averaging, that is to say, by dividing the gross total marks allocable for all the Judgments by the number of judgments examined.

Shimla-1, the 28th March, 2009

REGULATIONS FOR HOLDING COMPETITIVE EXAMINATION FOR APPOINTMENT TO THE CADRE OF CIVIL JUDGES (JUNIOR DIVISION)

No. HHC/Rules. 22(25)/83.—In exercise of the powers conferred under Rule 2 (1)(g)(i) & (ii) of the Himachal Pradesh Judicial Service Rules, 2004, Hon’ble the Chief Justice and the Hon’ble Judges, High Court of H.P., are pleased to make the following Amendments(s) in “ The Himachal Pradesh Judicial Service (Syllabus and Allocation of Marks) Regulation, 2005”.

1. Short title.—These Regulations may be called “The Himachal Pradesh Judicial Service (Syllabus and Allocation of Marks) (Third amendment) Regulations, 2009.”

2. Commencement.—These Regulations shall come into force with immediate effect.

3. Amendment.—Regulation No.3(ii) and 6(v) of the “The Himachal Pradesh Judicial Service (Syllabus and Allocation of Marks) Regulations, 2005” shall be substituted as follows:

3(ii) Main Examination.—“On the basis of merit obtained in the Preliminary examination, candidates equal to ten the number of vacancies to be filled in shall be called for taking the main examination.”

6(v) Minimum Qualifying Marks.—“That out of the candidates who qualify written examination prescribed above, for each vacancy three candidates shall be called for viva-voce strictly in order of merit obtained in the written examination. Categorywise merit list shall be drawn up so that the requisite number of candidates are called for each category as per the vacancies, reserved for each category.”

By order,
K. L. SHARMA,
Registrar (Rules).

हिमाचल प्रदेश सरकार**निर्वाचन विभाग****अधिसूचना**

शिमला-171009, 17 अप्रैल, 2009

संख्या 7-2/2008-ई.एल.एन.—भारत निर्वाचन आयोग के आदेश संख्या 3/4/आई.डी./2009/एस0डी0आर0 दिनांक 6 अप्रैल, 2009 जिसमें लोकसभा साधारण निर्वाचन-2009 के मतदान में आयोग द्वारा मतदाता फोटो पहचान पत्र के वैकल्पिक दस्तावेजों को निर्धारित किया गया है, के अंग्रेजी रूपान्तर सहित जनसाधारण की सूचना हेतु प्रकाशित किया जाता है।

आदेश से,

अनिल खाची,
मुख्य निर्वाचन अधिकारी।

भारत निर्वाचन आयोग
निर्वाचन सदन, अशोक रोड, नई दिल्ली-110001

सं०: 3/4/आई.डी./2009/एस0डी0आर0

दिनांक: 6 अप्रैल, 2009

आदेश

यतः, लोक प्रतिनिधित्व अधिनियम, 1951 की धारा 61 में यह उपबंधित है कि निर्वाचकों के प्रतिरूपण को रोकने की दृष्टि से, ताकि उक्त अधिनियम की धारा 62 के अधीन असली निर्वाचकों के मताधिकार को और अधिक प्रभावी बनाया जा सके, मतदान के समय अपनी पहचान को सिद्ध करने के उपाय के रूप में निर्वाचकों के लिए निर्वाचक फोटो पहचान-पत्रों (ई. पी. आई. सी.) के प्रयोग के लिए उस अधिनियम के अधीन नियमों द्वारा प्रावधान किया जाए ; और

2. यतः, निर्वाचक रजिस्ट्रीकरण नियम, 1960 का नियम 28 भारत निर्वाचन आयोग को मतदान के समय निर्वाचकों के प्रतिरूपण को रोकने और उनकी पहचान सुगम बनाने के लिए राज्य की लागत पर उनके फोटोग्राफ सहित फोटो-पहचान पत्र जारी करने का निदेश देने का अधिकार देता है ; और

3. यतः, निर्वाचनों का संचालन नियम, 1961 के नियम 49 ज (3) और 49 ट (2) (ख) में यह अनुबंध है कि जिस निर्वाचन-क्षेत्र के निर्वाचकों को निर्वाचक रजिस्ट्रीकरण नियम, 1960 के नियम 28 के उक्त उपबंधों के अधीन ई पी आई सी जारी किये गये हैं, उन निर्वाचकों को मतदान केन्द्र में अपना ई. पी. आई. सी. प्रस्तुत करना होगा और उनकी ओर से ई0पी0आई0सी0 प्रस्तुत करने में असफल रहने या मना करने पर उन्हें वोट डालने से मना किया जा सकता है ; और

4. यतः, उक्त अधिनियम और नियमों के उपर्युक्त उपबंधों के सामंजस्यपूर्ण और संयुक्त पठन से यह स्पष्ट हो जाता है कि यद्यपि मत देने का अधिकार निर्वाचक नामावली में नाम होने से ही होता है, तथापि यह निर्वाचक फोटो पहचान-पत्र के प्रयोग पर भी निर्भर करता है, जहाँ राज्य की लागत पर भारत निर्वाचन आयोग द्वारा निर्वाचक पहचान-पत्र जारी किया गया है, वहाँ दोनों को ही साथ-साथ प्रयोग में लाया जाना है ; और

5. यतः, भारत निर्वाचन आयोग ने एक समयबद्ध कार्यक्रम के अनुसार सभी निर्वाचकों को ई. पी. आई. सी. जारी करने का निदेश देते हुए 28 अगस्त, 1993 को एक आदेश दिया था ; और

6. यतः, आयोग ने यह पाया है कि पिछले कुछ वर्षों से जब से ई. पी. आई. सी. जारी करने के लिए कार्यक्रम का कार्यान्वयन शुरू किया गया है, सभी राज्यों तथा संघ राज्य क्षेत्रों के, निर्वाचन-तन्त्रों ने सभी संभव प्रयत्नों द्वारा छूटे हुए निर्वाचकों, को ध्यान में रखते हुए पहचान-पत्र जारी करने के लिए निर्वाचन-क्षेत्रों और इलाकों में अनेक चक्रों को दोहराते हुए पर्याप्त संख्या में निर्वाचकों को निर्वाचन फोटो पहचान-पत्र जारी किए हैं ; और

7. यतः असम, जम्मू व कश्मीर तथा नागालैण्ड को छोड़कर सभी राज्यों तथा संघ राज्य क्षेत्रों में निर्वाचकों की फोटोयुक्त निर्वाचक नामावलियां तैयार की जा चुकी हैं और जारी कर दी गई है ; और

8. यतः, जनवरी-मार्च, 2000 में हुए हरियाणा विधान सभा के साधारण निर्वाचनों, तथा तब से अब तक सभी साधारण तथा उप-निर्वाचनों में आयोग ने यह निदेश दिया था कि उक्त निर्वाचनों में सभी निर्वाचक जिन्हें निर्वाचक फोटो पहचान-पत्र जारी किए जा चुके हैं, उक्त निर्वाचन में अपने मताधिकार का प्रयोग करते समय अपने पहचान-पत्र प्रस्तुत करें और उक्त निर्वाचनों में उन छूटे हुए निर्वाचकों जिन्होंने निर्वाचक फोटो पहचान-पत्र प्राप्त नहीं किए हैं, उन्हें भी मतदान करने की अनुमति दी जाएगी बशर्ते कि आयोग द्वारा निर्धारित किसी वैकल्पिक दस्तावेजों में से कोई एक दस्तावेज प्रस्तुत करने पर उनकी पहचान स्थापित की जा सके ; और

9. अतः, अब, सभी संबद्ध बातों और विधिक तथा तथ्यात्मक स्थिति को ध्यान में रखते हुए भारत निर्वाचन आयोग एतद्वारा यह निदेश देता है कि सभी राज्यों तथा संघ राज्य क्षेत्रों के सभी निर्वाचकों को, जिन्हें मतदाता फोटो पहचान-पत्र जारी किए गए हैं, उन्हें 23 मार्च, 2009, 28 मार्च, 2009, 2 अप्रैल, 2009, 11 अप्रैल, 2009 तथा 17 अप्रैल, 2009 को अधिसूचित लोक सभा के चालू साधारण निर्वाचन तथा आंध्र प्रदेश, उड़ीसा तथा सिक्किम विधान सभाओं के लिए साधारण निर्वाचन तथा झारखण्ड, कर्नाटक, मिजोरम नागालैण्ड और राष्ट्रीय राजधानी राज्य क्षेत्र दिल्ली की विधान सभाओं के लिए उपनिर्वाचनों में मतदान केन्द्रों पर मत डालने और अपनी पहचान स्थापित करने के लिए निर्वाचक फोटो पहचान-पत्रों को प्रस्तुत करना होगा । यदि कोई निर्वाचक अपना ई. पी. आई. सी. प्रस्तुत करने में असफल रहता है, तो उसकी पहचान निर्धारित करने के लिए निम्नलिखित वैकल्पिक दस्तावेजों में कोई एक प्रस्तुत करना होगा :-

(i) पासपोर्ट

(ii) ड्राइविंग लाइसेन्स ।

(iii) आयकर पहचान-पत्र (पी.ए.एन) ।

(iv) राज्य/केन्द्र सरकार, सार्वजनिक क्षेत्र के उपक्रम, स्थानीय निकाय या पब्लिक लिमिटेड कम्पनियों द्वारा उनके कर्मचारियों को जारी किए जाने वाले फोटोयुक्त सेवा पहचान-पत्र ।

(v) सार्वजनिक क्षेत्र के बैंको/डाकघर द्वारा जारी फोटो युक्त पासबुक और किसान पासबुक (28.2.2009 को या इससे पूर्व खोला गया खाता) ।

(vi) फोटोयुक्त संपत्ति दस्तावेज जैसे पट्टे, रजिस्टर्ड डी0 आदि ।

(vii) सक्षम प्राधिकारी द्वारा 28-2-2009 को या उससे पूर्व जारी अ.जा./अ.ज.जा./अन्य पिछड़ा वर्ग फोटो युक्त प्रमाण-पत्र ।

(viii) फोटो युक्त पेंशन दस्तावेज जैसे कि भूतपूर्व सैनिक पेंशन बुक/पेंशन अदायगी आदेश/भूतपूर्व सैनिक विधवा/आश्रित प्रमाण-पत्र/वृद्धावस्था पेंशन आदेश/विधवा पेंशन आदेश (28-2-2009 को या उससे पूर्व जारी)

(ix) स्वतंत्रता सेनानी फोटो युक्त पहचान-पत्र ।

(x) 28-2-2009 को या उससे पूर्व जारी फोटो युक्त शस्त्र लाइसेंस ।

(xi) सक्षम प्राधिकारियों द्वारा 28-2-2009 को या उससे पूर्व जारी फोटो युक्त शारीरिक विकलांगता प्रमाण-पत्र ।

(xii) 28-2-2009 तक जारी फोटो युक्त एन.आर.ई.जी.ए. पारिवारिक नौकरी प्रमाण-पत्र (कार्ड),

(xiii) फोटोयुक्त स्वास्थ्य बीमा योजना स्मार्ट कार्ड (श्रम योजना मंत्रालय 28-2-2009 को या उससे पूर्व जारी) ।

10. परिवार के मुखिया को जारी उपर्युक्त दर्शाए गए निर्वाचन फोटो पहचान पत्र सहित पहचान के वैकल्पिक दस्तावेजों के आधार पर केवल परिवार के मुखिया को अपने अन्य पारिवारिक सदस्यों की पहचान करने की अनुमति दी जाएगी बशर्ते सभी सदस्य उसके साथ आएँ तथा परिवार के मुखिया द्वारा उनकी पहचान स्थापित हो सके ।

आदेश से,
के. एफ. विल्फ्रेड,
सचिव ।

ELECTION COMMISSION OF INDIA
Nirvachan Sadan, Ashoka Road, New Delhi-110001

No. 3/4/ID/2009/SDR

Dated : 6th April, 2009.

ORDER

1. Whereas, Section 61 of the Representation of the People Act, 1951 provides that with a view to preventing impersonation of electors, so as to make the right of genuine electors to vote under section 62 of that Act more effective, provisions may be made by rules under that Act for use of Identity Cards for electors as the means of establishing their identity at the time of polling; and

2. Whereas, Rule 28 of the Registration of Electors Rules, 1960, empowers the Election Commission to direct, with a view to preventing impersonation of electors and facilitating their identification at the time of poll, the issue of Electoral Identity Cards to electors bearing their photographs at State cost; and

3. Whereas, Rules 49H (3) and 49K (2) (b) of the Conduct of Elections Rules, 1961, stipulate that where the electors of a constituency have been supplied with Electors Identity Cards under the said provisions of Rule 28 of the Registration of Electors Rules, 1960, the electors shall produce their Electoral Identity Cards at the polling station and failure or refusal on their part to produce those Electoral Identity Cards may result in the denial of permission to vote; and

4. Whereas, a combined and harmonious reading of the aforesaid provisions of the said Act and the Rules, makes it clear that although the right to vote arises by the existence of the name in the electoral roll, it is also dependent upon the use of the Electors Identity Card, where provided by the Election Commission at State cost, and that both are to be used together; and

5. Whereas, the Election Commission made an Order on the 28th August, 1993, directing the issue of Electors Photo Identity Cards (EPICs) to all electors, according to a time bound programme; and

6. Whereas, the Commission has taken note of the fact that over the last few years since the implementation of the programme of issue of EPICs was taken up, the election machinery of the States and Union Territories have issued these cards to a substantially high number of electors in all States and Union Territories and made all possible efforts, by way of repeated rounds of the constituencies and areas, with a view to issuing cards to the left-out electors; and

7. Whereas, electoral rolls containing photographs of the electors have been prepared and issued in all States and Union Territories except in the States of Assam, Jammu & Kashmir and Nagaland; and

8. Whereas, at the general election to the Legislative Assembly of Haryana held in January – March, 2000, and at all general and bye-elections held since then, the Commission had directed that all electors who were issued with EPICs should produce those cards to exercise their franchise at the said elections, and that it would permit the odd electors who have not obtained their EPICs to vote at the said elections, provided their identity is otherwise established by production of one of the alternative documents prescribed by the Commission; and

9. Now, therefore, after taking into account all relevant factors and the legal and factual position, the Election Commission hereby directs that all electors in the States and Union Territories who have been issued with their EPICs, shall produce these cards for establishing their identity before casting their votes at the current General Election to the Lok Sabha and at the general election to the Legislative Assemblies of the States of Andhra Pradesh, Orissa and Sikkim and at the bye-elections to the State Legislative Assemblies in Jharkhand, Karnataka, Mizoram, Nagaland and NCT of Delhi, which are being held simultaneously with the General Election to the House of the People and which have been notified/scheduled to be notified on 23rd March 2009, 28th March 2009, 2nd April, 2009, 11th April, 2009 and 17th April, 2009. If any elector fails to produce his/her EPIC, such electors shall have to produce any of the following alternative photo documents for establishing their identity:-

- (i) Passports,
- (ii) Driving Licences,
- (iii) Income Tax Identity (PAN) Cards,
- (iv) Service Identity Cards issued to its employees by State/Central Government, Public Sector Undertakings, Local Bodies or Public Limited Companies with photographs,
- (v) Passbooks issued by Public Sector Banks/Post Office and Kisan Passbooks with photograph (accounts opened upto 28-2-2009),
- (vi) Property Documents such as Pattas, Registered Deeds, etc. with photograph,

(vii) SC/ST/OBC Certificates issued by competent authority with photograph (issued upto 28-2-2009),

(viii) Pension Documents such as ex-servicemen's Pension Book/Pension Payment Order, ex-servicemen's Widow/Dependent Certificates, Old Age Pension Order, Widow Pension Order with photograph (issued upto 28-2-2009),

(ix) Freedom Fighter Identity Card, with photograph,

(x) Arms Licenses (issued upto 28-2-2009),

(xi) Certificate of Physical Handicap with photograph issued by the competent authority (issued upto 28-2-2009),

(xii) Job Cards issued under NREGA with photograph (issued upto 28-2-2009),

(xiii) Health Insurance Scheme Smart Cards with photograph (Ministry of Labour's Scheme, issued upto 28-2-2009),

10. Any of the abovementioned documents that is available only to the head of the family may be used for identifying the other members of the family provided all members come together and are identified by the head of the family.

By Order,
K. F. WILFRED,
Secretary.

MPP & POWER DEPARTMENT

NOTIFICATIONS

Shimla-2, the 10th March, 2009

No. MPP-F(2)-16/2004.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8. (2) (a) of the Electricity Act 2003, it is hereby notified that M/s Surya Kanta Hydro Energies (Pvt) Ltd. with its Branch Office at B-7, Sector-I, Phase-I, New Shimla- 171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project : NANTI SMALL HYDRO ELECTRIC PROJECT (10 MW).

Project Cost: Rs 51.08 Crores.

(I) Brief description of the main Project Components.—The Project namely NANTI HEP is a run of the river (ROR) Scheme on Nanti Khad, which is a tributary of river Satluj and is located near Pancha Village. The site can be approached through Jeori –Ganvi Road . Pancha village is 27 km from Jeori town in Distt Shimla of Himachal Pradesh. The Project comprises of the following components :

1. **Diversion Wei.**—Drop Type Trench Weir at EL± 2045.00 m.

2. **Desilting Basin.**—Central silt gutter type, under ground desilting tank One chamber of 40 m x 8.00 m x 4.55 m, size with inlet and outlet transition. Design to exclude all particles down to 0.20mm size.
3. **Water Conducto.**—Power Channel 2.25 x 2.25m, 785 m long cut and cover type is provided through hills slope on the Left Bank of Nanti Khad to carry silt free discharge of 6.40 cumecs from D-Tank to Tunnel.
4. **Head Race Tunnel.**—2.25x2.25m dia, D-shaped tunnel, 2295m long HRT is provided through hill slope on right bank of Nanti khad to carry silt free discharge of 6.40 cumecs from Power Channel to Forebay.
5. **Forebay.**— Surface type forebay of size 45x15.5 mx2m having storage capacity of 1382 cum with FRL at an elevation +2040. 85 m. for peaking time + 3 minutes.
6. **Power House .**—The surface Power House is proposed comprising of 2 units of Francis Turbines of 5.00 MW each.
7. **Tail Race Channel.**—Tail Race Channel has been designed as RCC box section, 2.25m x 2.25m and 50m length.
8. **Generator Set up.**—2 nos. with rated output of 5.00 MW at 6.6 KV. Two numbers 5.555MVA, 6.6/66KV step up transformers shall be provided for stepping up the voltage to 66 KV.
9. **Transmission Line.**—It is proposed to evacuate the power from Nanti Hydroelectric Project through 9.5 Km long 66 KV line to HPSEB sub – station at Kotla (Jeori).

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and/or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and/or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Surya Kanta Hydro Energies (P) Ltd.
B- 7, Phase-I, Sector-I, Main Road,
New Shimla, Shimla-171009. (HP).
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

No. MPP-F(2)-40/2004.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Shivalik Energy Private Limited with its Head Office at 813, Nagarjuna Hills, Panjagutta, Hyderabad-500 082, AP propose to implement the following Hydro Power Scheme :

Name of the Project : Chirchind-II Small Hydro Electric Project (9.90 MW) .

Project Cost: Rs. 44.13 Crores.

(I) Brief description of the main Project Components.—The Project namely Chirchind-II HEP is a run of the river (ROR) Scheme on Ghator and Kaunr nallah which join to form Chirchind Nalla, which is a tributary of river Ravi and is located on Chamba to Kotla Road in Distt. Chamba of Himachal Pradesh. The Project comprises of the following components:

1. **Diversion Weir.**—Drop type trench weir at EL± 2020.90m on Ghator Nallah. Drop type trench weir at EL ±2019.00m on Kaunr Nallah.
2. **Desilting Basin.**—Central silt gutter type, surface desilting tank, one chamber of 22.5 m x 4.5m x 2.53m, size with inlet and out let transition. Designed to exclude all particles down to 0.20mm size
Central silt gutter type, surface desilting tank, one chamber of 20.00m x 4.50m x 2.17m, size with inlet and out let transition. Designed to exclude all particles down to 0.20mm size.
3. **Water Conductor System.**—1.20m x 1.20m, Rectangular Tunnel, 3373m long Power Channel/Tunnel is provided through hill slope on the Left Bank of Ghator Nallah to carry silt free discharge of 1.67 cumecs from desilting tank to forebay. 1.15m x 1.15m, Rectangular Tunnel, 2873m long Power Channel/Tunnel is provided through hill slope on the Right Bank of Kiunr Nallah to carry silt free discharge of 1.43 cumecs from desilting tank to forebay.
4. **Forebay.**—RCC Rectangular type of size 40m x 8.5m x 2.00m, having storage capacity 670cum with FRL at an elevation ±2007.86m for peaking time of ± 3 minutes.
5. **Power House.**—Surface type Power House is proposed comprising of 2 units of Pelton Turbines of 4.95 MW each.
6. **Tail Race Channel.**—Tail Race Channel has been designed as RCC Box Section 1.20 m x 1.20 m, ±50m length.
7. **Generator Set up.**—2 nos. with rated output of 4.95MW at 3.3KV. Two numbers three phase 6.325 MVA, 3.3/33KV Step- up Transformer shall be provided for stepping up voltage to 33KV.
8. **Transmission Line.**—It is proposed to evacuate the power from Chirchind-II Small Hydro Electric Project through 15 Km long, 33kVdedicated line to HPSEB Sub-Station at Gharola.

(II). Notice is hereby given that any Licensee or any other person interested may raise any objection and / or make any representation on the above Scheme within two (2) months of the

publication of this Notice as thereafter no objection and / or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III). Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Shivalik Energy Private Limited
813, Nagarjuna Hills, Panjagutta,
Hyderabad-500 082, AP.
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

Shimla-2, the 10th 2009

No. MPP-F(2)-44/2006.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Panchhor Hydro Power Private Limited with its Branch Office at Gyamba House, South End, Lane- IV, Sector-1, New Shimla-171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project : Wanger Small Hydro Electric Project (14.10 MW).

Project Cost: Rs 61.52 Crores.

(I) Brief description of the main Project Components.— The Project namely Wanger HEP is a run of the river (ROR) Scheme on Wanger Khad, which is a tributary of river Satluj and is located on Wangto-Kafnu Road in Distt. Kinnaur of Himachal Pradesh. The Project comprises of the following components :

1. **Diversion Weir.**—Raised crested concrete weir 50m Length at EL± 2547 m.
2. **Desilting Basin.**—Central silt gutter type, under ground desilting tank 64m x 16m x 7.39m, size without inlet and out let transition. Designed to exclude all particles down to 0.25mm size.
3. **Head Race Tunnel.**—3.40m Dia, D-shaped, 1095m long HRT is provided through hill slope on the left Bank of Wanger Khad to carry silt free discharge of 17.35 cumecs from desilting tank to forebay.
4. **Forebay.**—Underground type forebay of size 80m x 15.60x3.00m, having storage capacity 3748cum with FRL at an elevation ± 2537.49 for peaking time of ± 3 minutes. 5. **Power House:** The surface Power House is proposed comprising of 3 units of Horizontal Axis Francis Turbines of 4.70 MW each. 6. **Tail Race Channel:** Tail Race Channel has been designed as RCC box section, 3.40m x 3.40m, ±130m length.

7. **Generator Set up.**—3 nos. with rated output of 4.70 MW at 6.6KV. Three numbers 5.222 MVA, 6.6/33KV Step- up Transformer shall be provided for stepping up voltage to 33KV.
8. **Transmission Line.**—The power to be generated from this project shall be fed to the proposed 22/66KV Pooling Station at Wanger from where a 14 kms long 66 kV dedicated transmission line will be laid to evacuate the generated power at the HPSEB Grid at 66KV Nathpa.

(II). Notice is hereby given that any Licensee or any other person interested may raise any objection and / or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and /or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III). Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Panchhor Hydro Power Private Ltd.
Gyamba House, Lane IV, Sector –I,
New Shimla, Shimla-171009. (HP)
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002

Shimla-2, the 10th March, 2009

No. MPP-F(2)-18/2004.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Ranga Raju Wear House Complex Private Limited with its Branch Office at B-7, Sector-I, Phase-I, Main Road, New Shimla-171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project: SUMEZ SMALL HYDRO ELECTRIC PROJECT (14 MW).

Project Cost: Rs 75.88 Crores.

(I) Brief description of the main Project Components.—The Project namely SUMEZ HEP is a run of the river (ROR) Scheme on Sechi and Mohali Khad, which is a tributary of river Satluj and is located near Sumez Village. It is at a distance of 22 Km from Rampur in Distt Shimla of Himachal Pradesh. The Project comprises of the following components :

1. **Diversion Weir.**—Drop Type Trench Weir on Sechi khud to forebay at EL± 2170.00m Drop Type Trench Weir on Mohali khud to forebay at EL± 2170.00m.

2. **Desilting Basin.**—(i) Central silt gutter type, under ground desilting tank One chamber of 25 m x 3.5 m . Designed to exclude all particles down to 0.20mm size.

(ii) Central silt gutter type, surface desilting tank One chamber of 12 m x 3.00 m. Designed to exclude all particles down to 0.25mm size.
3. **Head Race Tunnel.**— (i) Head Race Tunnel of 1.82 x 2.10 m D- Shaped 1727 m is provided through hill slope on the Left Bank of Sechi Khad to ecarry silt free discharge of 1.67cumecs from desilting tank to forebay.

(ii) Head Race Tunnel of 1.82 x 2.10 m D- Shaped 3367 m is provided through hill slope on the Right Bank of Mohali Khad to ecarry silt free discharge of 1.1 cumecs from desilting tank to forebay.
4. **Forebey**—Surface type forebay of size 40x 7.50mx2m having storage capacity 598 cum with FRL at an elevation +2166.60 m. for peaking time +3 minutes.
5. **Power House.**—The surface Power House is proposed comprising of 2 units of Horizontal Axis, Pelton Type Turbines of 7.00 MWeach.
6. **Tail Race Channel .**—Tail Race Channel has been designed as RCC box section, 2.00m x1.95m and 45m length.
7. **Generator Set up.**— 2 nos. with rated output of 7.0MW at 6.6KV. Two numbers. 7.77 MVA,6.6/66KV, step-up transformer shall be provided for stepping up the voltage to 66kV.
8. **Transmission Line.**— It is proposed to evacuate the power from Sumez Small Hydroelectric Project through 12 Km long 66 KV line to HPSEB sub – station at Kotla (Jeori).

(II). Notice is hereby given that any Licensee or any other person interested may raise any objection and / or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and /or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III). Necessary Plans showing the Project Site Layout may be inspected on any working day at the following :

1. Director
M/s Ranga Raju Ware Housing (P) Ltd.
B -7 , Phase-I , Sector-I, Main Road,
New Shimla, Shimla-171009. (HP)
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002

No. MPP-F (2)-43/2006.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Sungra Valley Hydro Power Private Limited with its Branch Office at Gyamba House, South End, Lane-IV, Sector-1, New Shimla-171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project : Homte Small Hydro Electric Project (10.50 MW).

Project Cost: Rs 46.72 Crores.

(I) Brief description of the main Project Components.—The Project namely Homte HEP is a run of the river (ROR) Scheme on Wanger Khad, which is a tributary of river Satluj and is located on Wangto-Kafnu Road in Distt. Kinnaur of Himachal Pradesh. The Project comprises of the following components:

1. **Diversion Weir.**—Raised crested concrete weir 50 m Length at EL± 2630.00m.
2. **Desilting Basin.**—Surface conventional type, desilting tank. One chamber of 64m x 16m x 7.05m, size with inlet and outlet transition. Designed to exclude all particles down to 0.25mm size.
3. **Water Conductor.**—Power channel 3.30m x 3.30m, 682m long cut and cover type is provided through hill slope on the Left Bank of Wanger Khad to carry silt free discharge of 16.55 cumecs from desilting tank to forebay.
4. **Forebay.**—Surface type forebay of size 80x15mx3m having storage capacity 3575cum with FRL at an elevation ± 2628.24 for peaking time of ± 3 minutes.
5. **Power House.**—The surface Power House is proposed comprising of 3 units of Horizontal Axis, Francis Turbines of 3.5 MW each.
6. **Tail Race Channel.**—Tail Race Channel has been designed as RCC box section, 3.30m x 3.30m, ± 45m length.
7. **Generator Set up.**—3 nos. with rated output of 3.5 MW at 6.6KV. Three numbers 3.889 MVA. 6.6/33KV step-up Transformer shall be provided for stepping up the voltage to 33KV.
8. **Transmission Line.**—A 2 Kms long 33 KV dedicated transmission line will be laid to evacuate the generated power upto the proposed 22/66KV Pooling Station at Wanger 14.10 MW Power House from where the power of both projects shall be finally evacuated to existing HPSEB Sub Station at Nathpa, through a 15 kms long 66KV Transmission Line.

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and / or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and /or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Sungra Valley Hydro Power Private Ltd.
Gyamba House, Lane IV, Sector -I,
New Shimla, Shimla-171009. (HP)
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

Shimla-2, the 9th March, 2009

No. MPP-F(2)-45/2006.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Nanti Hydro power (Pvt) Ltd . with its Branch Office at B-7, Sector-I, Phase-I, Main Road, New Shimla- 171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project : Upper Nanti Small Hydro Electric Project (12 MW).

Project Cost: Rs 56.01 Crores.

(I) Brief description of the main Project Components.—The Project namely Upper Nanti. is a run of the river (ROR) Scheme on Nanti Khad, which is a tributary of river Satluj and is located near Pancha Village. The site can be approached through Jeori–Ganvi Road . Pancha village is 27 km from Jeori town. From this road it is proposed to construct a link road to the proposed Power House site on the right bank in Distt Shimla of Himachal Pradesh. The Project comprises of the following components :

1. **Diversion Weir.**—Drop Type Trench Weir at EL± 2468.00 m.
2. **Desilting Basin.**—Central silt gutter type, under ground desilting tank One chamber of 40 m x 7.50m x 4.39 m, size with inlet and outlet transition. Design to exclude all particles down to 0.20mm size.
3. **Water Conductor.**—Power Channel 2.10x2.10m, 2220 m long cut and cover type is provided through hills slope on the Right Bank of Nanti Khad to carry slit free discharge of 5.80 cumecs from D-Tank to Tunnel.
4. **Head Race Tunnel .**—2.10 x 2.10m dia, D-shaped tunnel, 950m long HRT is provided through hill slope on right bank of Nanti khad to carry silt free discharge of 5.80 cumecs from Power Channel to Forebay.
5. **Forebay.**—Sureface type forebay of size 12.50m x 40 m x 2.5m having storage capacity of 1253 cum with FRL at an elevation +2463.13 m for peaking time of +3 minutes.

6. **Power House** .—The surface Power House is proposed comprising of 2 units of Pelton Turbines of 6.00 MW each.
7. **Tail Race Channel**.—Tail Race Channel has been designed as RCC box section, 2.10m x2.10m and 50m length.
8. **Generator Set up**.—2 nos. with rated output of 6.00 MW each at 2.2KV. Two numbers three phase 6.66 MVA, 2.2/ 66KV step up transformer shall be provided for stepping up the voltage to 66 KV.
9. **Transmission Line**.—It is proposed to evacuate the power from Nanti Hydroelectric Project through 7.0 Km long 66 KV dedicated line to HPSEB sub – station at Kotla.

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and / or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and /or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Nanti Hydro Power (P) Ltd.
B -7, Phase-I, Sector-I, Main road,
New Shimla, Shimla-171009. (HP).
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

Shimla-2, the 6th March, 2009

No. MPP-F(2)-46/2006.— In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Gangdari Hydro Power (Pvt) Ltd. with its Branch Office at B-7,Phase-I , Sector-I, Main Road, New Shimla-171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project: JONGINI SMALL HYDRO ELECTRIC PROJECT (12 MW).

Project Cost: Rs 59.81 Crores.

(I) **Brief description of the main Project Components.**—The Project namely Jongini HEP is a run of the river (ROR) Scheme on Nogli Khad a tributary of Satluj River. The site is

approachable through Nogli-Taklach Road . Nogli village is at a distance of 32 km from Rampur in Distt Shimla in Himachal Pradesh . The Project comprises of the following components :

1. **Diversion Weir.**—Drop Type Trench Weir at EL± 1760.00 m.
2. **Desilting Basin.**—Central silt gutter type, under ground desilting tank One chamber of 45 m x 7.50m x 5.00 m, size with inlet and outlet transition. Design to exclude all particles down to 0.20mm size.
3. **Water Conductor.**—Cut and cover type power channel/ Tunnel 2.10x2.10m. power channel is 1154 m and that of tunnel is 2309 m.
4. **Forebay.**—Sureface type forebay of size 50m x 12 m x6.6m having storage capacity of 1188 cum with FRL at an elevation + 1754.68m. for peaking time + 3 minutes.
5. **Power House.**—The surface Power House is proposed comprising of 2 units of Pelton Turbines of 6.00 MW each.
6. **Tail Race Channel.**—Tail Race Channel has been designed as RCC box section, 2.10m x2.10m and 50m length.
7. **Generator Set up.**—2 nos. with rated output of 6.00 MW at 6.6KV. Two numbers three phase 6.66 MVA,6.6/66KV step up transformer shall be provided for stepping up the voltage to 66 KV.
8. **Transmission Line.**— It is proposed to evacuate the power from Jongini through 11.5km long 66 KV line to HPSEB sub station at Nogli.

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and / or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and /or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices :

1. Director
M/s Gangdari Hydro Power (P) Ltd.
B -7 Phase-I, Sector -I, Main Road,
New Shimla, Shimla-171009. (HP).
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

Shimla-2, the 12th January, 2009

No. MPP-F(2)-17/2007.—In pursuance of Section 29 of the Electricity (Supply) Act , 1948, read with Section 8, 2 (a) of the Electricity Act, 2003, it is hereby notified that M/s Indo Arya

Central Transport Ltd. with its Head Office at “Indo Arya House” 147, Transport Centre, Rohtak Road (Punjabi Bagh Chowk), New Delhi-110035 propose to implement the following Hydro Power Scheme :-

Name of the Project : Chanju-I (36 MW) Hydroelectric Project.

Project Cost : Rs.304.08 Crores.

(I) Brief description of the main Project Components.—The Project namely Chanju-I HEP is a run of river (ROR) scheme on Chanju Nala, which is a tributary of river of Ravi and is located on Chamba—Charda Road in District Chamba of Himachal Pradesh. The Project comprises of the following components :

1. **Diversion Barrage.**—A 54 m wide Gated-Weir (Barrage) is proposed to be constructed across the Chanju Nallah about 100 m downstream of the confluence of Chanju Nallah and Bhararu Nallah, with FRL at EL +1440.00 m and Average River bed Level at El + 1426.00 m.
2. **Intake Gate.**— 2 bays of 3.5 m x2.60 m with 1.5 m thick intermediate pier. The two intakes are connected to the twin desilting basins through a D-shaped 3 m x 2m connecting feeder tunnels.
3. **Desilting Basin.**—Two no. underground Hopper Type Desilting Basins of size (LxBxH) 80.0 m 2 x8.0 mx 4.5m each, designed to exclude sediment particles of 0.2 mm and higher have been proposed to be constructed.
4. **Head Race Tunnel.**—A 5376.5 m long, 3.2 m Dia. D-shaped Head Race Tunnel to carry a design discharge of 16.85 cumecs, has been proposed to be constructed on the right bank of Chanju Nallah.
5. **Surge Shaft.**—Construction of a 422 m long D-shaped Aditcum-surge gallery of size 3.2m x3.2 m. The bottom and top most levels of the surge gallery are at El+1405.90 m & El+1448.0 m.
6. **Power House.**—A 41.30 m x 17.10 m x 27.35 m sized surface Power House with center line of Machine level at El+1188.15 m to house 3 units of vertical Francis Turbines of 12 MW each generating 157.85 Million Units of Energy by utilizing a Designed Head of 236.67 m.
8. **Tail Race Tunnel.**—The 6 m wide x 3 m deep tail race channel discharge into the river at El+ 1192.65 m in reverse slope.
9. **Switch Yard.**—A conventional surface switchyard, 100m x 50 m adjacent to the Power House on the up side has been proposed. The Switchyard shall house the generator transformer and the feeder bays. The Switchyard control room shall house all the control including tariff metering panels, DG set etc.
10. **Transmission Line.**—Power will be injected at Nakrod through LILO arrangement into Kurthala Bathri 132 KV D/c line under construction. The line length is estimated to be about 6 Kms.

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and/or make any representation on the above Scheme within two (2) months of the

publication of this Notice as thereafter no objection and/ or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following :-

- (i) General Manager (Projects)
M/s Indo Arya Central Transport Ltd.
C-15, Lane-I Sector-I,
New Shimla-171009.
- (ii) Chief Engineer (PSP),
HP State Electricity Board,
Shimla-171004.
- (iii) Principal Secretary (MPP & Power) to the
Government of Himachal Pradesh.
Shimla-171002.

Shimla-2, the 10th March, 2009

MPP-F(2)-42/2006.—In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Taranda Hydro Power Private Limited with its Branch Office at Gyamba House, South End, Lane-IV, Sector-1, New Shimla-171009 (HP) propose to implement the following Hydro Power Scheme :

Name of the Project : Rala Small Hydro Electric Project (9.00 MW).

Project Cost: Rs 40.97 Crores.

(I) **Brief description of the main Project Components.**—The Project namely Rala HEP is a run of the river (ROR) Scheme on Panwi Khad, which is a tributary of river Satluj and is located on Wangto-Panwi Road in Distt. Kinnaur of Himachal Pradesh. The Project comprises of the following components:

1. **Diversion Weir.**—Drop type trench weir at EL± 2185 m.
2. **Desilting Basin.**—Central silt gutter type, under ground desilting tank 35m x 6m x 3.98m, size with inlet and out let transition. Designed to exclude all particles down to 0.20mm size.
3. **Head Race Tunnel.**—1.80m x 2.10m Dia, D-shaped, 688m long HRT is provided through hill slope on the left Bank of Panwi Khad to carry silt free discharge of 3.50 cumecs from desilting tank to forebay.
4. **Forebay.**—Surface type forebay of size 45m x 6m x 2.80m, having storage capacity 756cum with FRL at an elevation ±2179.87m for peaking time of ± 3 minutes.
5. **Power House.**—Underground Power House is proposed comprising of 2 units of Horizontal Axis, Pelton Turbines of 4.50 MW each.

6. **Tail Race Channel.**—Tail Race Channel has been designed as D-shaped 1.80mx 2.10m, ± 30 m length.
7. **Generator Set up.**—2 nos. with rated output of 4.5MW at 6.6KV. Two numbers 5.000 MVA, 6.6/66 KV Step-up Transformer shall be provided for stepping up voltage to 66KV.
8. **Transmission Line.**—It is proposed to evacuate the power from Rala Small Hydro Electric Project through 7 Km long, 66kV line to HPSEB sub-station at Nathpa.

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and/or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and/or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Taranda Hydro Power Private Ltd.
Gyamba House, Lane IV, Sector –I,
New Shimla, Shimla-171009. (HP).
2. Chief Engineer (PSP)
HPSEB, Vidyut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

Shimla-2, the 6th March, 2009

No. MPP-F(2)-20/2007-II.— In pursuance of Section 29 of the Electricity (Supply) Act, 1948, read with Section 8.(2)(a) of the Electricity Act 2003, it is hereby notified that M/s Tejas Sarnika Hydro Energies Private Limited with its Head Office at Plot No. 125, Road No. 71, Nav Nirman Nagar, Jubilee Hills, Hyderabad, Andhra Pradesh-500 033 propose to implement the following Hydro Power Scheme :

Name of the Project : Upper-Joiner Small Hydro Electric Project (12.00 MW).

Project Cost: Rs. 60.53 Crores.

(I) **Brief description of the main Project Components.**—The Project namely Upper-Joiner HEP is a run of the river (ROR) Scheme on Joiner Khad, which is a tributary of Baira Khad, which in turn is a tributary of River Ravi and is located on Tissa (Shikari Morh) to Sayabal Road in Distt. Chamba of Himachal Pradesh. The Project comprises of the following components:

1. **Diversion Weir.**—Drop type trench weir at EL \pm 1928.50 m.

2. **Desilting Basin.**—Central silt gutter type, under ground desilting tank, one chamber of 55m x 5.5m x 6.3m, size with inlet and out let transition. Designed to exclude all particles down to 0.20mm size.
3. **Head Race Tunnel.**—1.80m x 2.10m Dia, D-shaped Tunnel , 2664m long HRT is provided through hill slope on the Right Bank of JoinerKhad to carry silt free discharge of 5.08 cumecs from desilting tank to forebay.
4. **Forebay.**—Surface type forebay of size 40m x 6.5m x 4.25m, having storage capacity 1097cum with FRL at an elevation ± 1921.01 m for peaking time of ± 3 minutes.
5. **Power House.**— Surface type Power House is proposed comprising of 4 units of Pelton Turbines of 3.00 MW each.
6. **Tail Race Channel.**—Tail Race Channel has been designed as RCC Box Section 2.10 m x 1.80 m, ± 50 m length.
7. **Generator Set up.**—4 nos. with rated output of 3.00 MW at 6.6KV. Four numbers 3.750 MVA, 6.6/33 KV Step-up Transformer shall be provided for stepping up voltage to 33KV.
8. **Transmission Line.**—It is proposed to evacuate the power from Upper-Joiner Small Hydro Electric Project through 18Km long, 33kV dedicated line to HPSEB 33/132 kV sub-station at Kurthala under construction.

(II) Notice is hereby given that any Licensee or any other person interested may raise any objection and/or make any representation on the above Scheme within two (2) months of the publication of this Notice as thereafter no objection and/or representation will be entertained and the Scheme shall be commissioned with or without further notification as approved by the Government of Himachal Pradesh.

(III) Necessary Plans showing the Project Site Layout may be inspected on any working day at the following offices:

1. Director
M/s Tejas Sarnika Hydro Energies Private Limited
Plot No. 125, Road No. 71,
Nav Nirman Nagar, Jubilee Hills,
Hyderabad-500 033 (AP).
2. Chief Engineer (PSP)
HPSEB, Vidut Bhavan,
SHIMLA.
3. Principal Secretary (MPP & Power)
to the Govt. of Himachal Pradesh
Shimla-171002.

By Order,
Sd/-
Principal Secretary.

ब अदालत उप-मण्डल दण्डाधिकारी, सदर, जिला बिलासपुर, हिमाचल प्रदेश

श्री वृज लाल पुत्र श्री सन्त राम, निवासी भड़ेतर, डा0 रानी कोटला, तहसील सदर, जिला बिलासपुर

बनाम

आम जनता

दरखास्त बराए पंचायत अभिलेख साई खारसी में शादी दर्ज करने बारा।

श्री वृज लाल पुत्र श्री सन्त राम, निवासी भड़ेतर, ने इस न्यायालय में प्रार्थना-पत्र पेश किया है कि शादी दिनांक 19-12-2007 को मुताबिक हिन्दू रीति रिवाज के प्रमीला पुत्री श्री इगतू राम, निवासी साशो, तहसील धुमला, जिला गुमला (झारखण्ड) हाल निवासी चपड़ासी बिजली की भारवडी के साथ हुई। और तब से बतौर पति-पत्नी आपस में रह रहे हैं। परन्तु गलती से शादी का इन्द्राज पंचायत अभिलेख साई खारसी में दर्ज नहीं करवाया है।

अतः आम जनता को इशतहार द्वारा सूचित किया जाता है कि यदि किसी भी व्यक्ति को शादी दर्ज करने बारा कोई उजर व एतराज हो तो दिनांक 24-4-2009 को प्रातः 10.00 बजे या इससे पूर्व असालतन व वकालतन हाजिर अदालत होकर पेश करें अन्यथा पंचायत सचिव को शादी करने का आदेश जारी कर दिया जाएगा।

हस्ताक्षरित/—

उप-मण्डल दण्डाधिकारी, सदर,
जिला बिलासपुर, हिमाचल प्रदेश।

ब अदालत श्री बिनय सिंह (हि0 प्र0 से0), उप-मण्डल दण्डाधिकारी सदर, जिला बिलासपुर (हि0 प्र0)

श्री राकेश कुमार सुपुत्र श्री जीत राम, निवासी बिनौला, तहसील सदर, जिला बिलासपुर (हि0 प्र0)

बनाम

आम जनता

प्रार्थना-पत्र बराए दरुस्ती बारे।

राकेश कुमार सुपुत्र श्री जीत राम, निवासी बिनौला, तहसील सदर, जिला बिलासपुर (हि0 प्र0) ने इस न्यायालय में व्यान हल्फी सहित प्रार्थना-पत्र दिया है। उसके लड़के का जन्म जिला अस्पताल, बिलासपुर में दिनांक 3-11-2008 को हुआ है। उस समय लड़के की माता का नाम गलती से मन्जू लिख दिया जबकि लड़के की माता का सही नाम कमलेश कुमारी है। आवेदक कार्यकारी अधिकारी, नगर परिषद्, बिलासपुर के अभिलेख में सही नाम दर्ज करवाना चाहता है।

अतः आम जनता व सम्बन्धित रिश्तेदारों को इस अदालती इशतहार द्वारा सूचित किया जाता है कि अगर उपरोक्त बारे किसी को एतराज हो तो वह दिनांक 30-4-2009 को प्रातः 10.00 बजे या इससे पहले अपने उजर/एतराज अधोहस्ताक्षरी के न्यायालय में असालतन या वकालतन पेश कर सकते हैं। मियाद गुजरने के बाद कोई भी उजर या एतराज काबिले समायत न होगा।

आज दिनांक 21-3-2009 को मेरे हस्ताक्षर व मोहर न्यायालय द्वारा जारी हुआ।

मोहर।

बिनय सिंह,
उप-मण्डल दण्डाधिकारी, सदर,
जिला बिलासपुर (हि0 प्र0)।

ब अदालत श्री बिनय सिंह (हि0 प्र0 से0), उप-मण्डल दण्डाधिकारी, सदर, जिला बिलासपुर (हि0 प्र0)

अनुपमा सुपुत्री श्री लाल सिंह, निवासी बैरी रजरदयां, तहसील सदर, जिला बिलासपुर (हि0 प्र0)

बनाम

आम जनता

प्रार्थना-पत्र बराए दुरुस्ती बारे।

अनुपमा सुपुत्री श्री लाल सिंह, निवासी बैरी रजरदयां, तहसील सदर, जिला बिलासपुर, हि0 प्र0 ने इस न्यायालय में व्यान हल्फी सहित प्रार्थना-पत्र दिया है कि उसका नाम ग्राम पंचायत बैरी रजीदयां के रिकार्ड में अन्नू दर्ज है। जो गलत है तथा पाठशाला प्रमाण-पत्र में अनुपमा कुमारी दर्ज है। आवेदिका पंचायत अभिलेख, बैरी रजादयां के रिकार्ड में सही नाम दर्ज करवाना चाहती है।

अतः आम जनता व सम्बन्धित रिश्तेदारों को इस अदालती इश्तहार द्वारा सूचित किया जाता है कि अगर उपरोक्त बारे किसी को एतराज हो तो वह दिनांक 30-4-2009 को प्रातः 10.00 बजे या इससे पहले अपने उजर/एतराज अधोहस्ताक्षरी के न्यायालय में असालतन या वकालतन पेश कर सकते हैं। मियाद गुजरने के बाद कोई भी उजर या एतराज काबिले समायत न होगा।

आज दिनांक 21-3-2009 को मेरे हस्ताक्षर व मोहर न्यायालय द्वारा जारी हुआ।

मोहर।

बिनय सिंह,
उप-मण्डल दण्डाधिकारी, सदर,
जिला बिलासपुर (हि0 प्र0)।

ब अदालत श्री नरेश कुमार, तहसीलदार एवं सहायक समाहर्ता प्रथम श्रेणी, ज्वाली, जिला कांगड़ा,
हिमाचल प्रदेश

कपूर सिंह पुत्र श्री रण सिंह पुत्र श्री तोता, निवासी भरमाड़, तहसील ज्वाली, जिला कांगड़ा, हिमाचल प्रदेश . . वादी।

बनाम

1. हीरा सिंह उर्फ नसीब सिंह, 2. दीदार सिंह, 3. अजीत सिंह पुत्रानव 4(ए) अशवनी कुमार पुत्र ज्ञानदेई 4(बी) वीना देवी पुत्री ज्ञान देई हाल पत्नी दर्शन कुमार साकन हरसर, 4(सी) मन्जू देवी पुत्री ज्ञान देई हाल पत्नी नरेश कुमार, निवासी खेहर, तहसील नूरपुर, 4(डी) नीलम कुमारी पुत्री ज्ञान देई हाल पत्नी महिन्द्र सिंह साकन कन्दोर, तहसील नूरपुर, जिला कांगड़ा (हि0 प्र0)
प्रतिवादीगण।

दरखास्त बराए तकसीम आराजी खाता नं0 293, खतौनी नं0 640 खसरा, कित्ता 5, रक्बा ता 0-34-50 हैक्ट0 वाक्या महाल व मौजा सिंहपुरघड़, तहसील ज्वाली, जिला कांगड़ा, हिमाचल प्रदेश।

उपरोक्त प्रतिवादीगण को कई बार समन जारी किए गए। परन्तु वह नौकरी पेशा या शादी शुद्धा होने के कारण उनकी तामील न हो सकी। अब अदालत को विश्वास हो चुका है कि इनकी तामील साधारण तरीके से नहीं हो सकती। इसलिए इस इशतहार द्वारा प्रतिवादीगण को सूचित किया जाता है कि अगर उक्त तकसीम बारे किसी को कोई एतराज हो तो वह असालतन या वकालतन हाजिर अदालत दिनांक 20-4-2009 को एतराज पेश कर सकता है अन्यथा यकतरफा कार्यवाही अमल में लाई जावेगी।

आज दिनांक 20-3-2009 को हमारे हस्ताक्षर व मोहर अदालत से जारी हुआ।

मोहर।

नरेश कुमार,
तहसीलदार एवं सहायक समाहर्ता प्रथम श्रेणी,
ज्वाली, जिला कांगड़ा, हिमाचल प्रदेश।

ब अदालत श्री सन्त राम ठाकुर, कार्यकारी दण्डाधिकारी, तहसील पधर, जिला मण्डी (हि0 प्र0)

आशा देवी पुत्री श्री ब्रतू राम, गांव व डा0 वोचिंग, तहसील पधर, जिला मण्डी (हि0 प्र0) . . प्रार्थिन।

बनाम

आम जनता

. . प्रत्यार्थी।

जेर धारा 13 (3) के अन्तर्गत जन्म तिथि दर्ज करवाने हेतु।

आशा देवी पुत्री श्री ब्रतू राम, गांव व डा0 वोचिंग, तहसील पधर, जिला मण्डी (हि0 प्र0) ने शपथी-पत्र सहित इस अदालत में एक प्रार्थना-पत्र गुजारा है जिसमें प्रार्थना की है कि आशा देवी पुत्री श्री ब्रतू राम, गांव व डा0 वोचिंग, तहसील व जिला मण्डी की रहने वाली है प्रार्थिन की जन्म तिथि पंचायत वरधान में दर्ज नहीं हुई है, क्योंकि प्रार्थिन स्वयं व प्रार्थिन के माता पिता बिल्कुल अनपढ़ थे इसलिए समय पर जन्म तिथि पंचायत वरधान में दर्ज नहीं करवा सके हैं। अतः प्रार्थिन ने इस अदालत से प्रार्थना की है कि उसकी जन्म तिथि 25-10-1982 पंचायत वरधान में दर्ज करने के लिखित आदेश पारित करने की कृपा करें।

अतः इस इशतहार द्वारा आम जनता को सूचित किया जाता है कि यदि किसी व्यक्ति को उपरोक्त जन्म तिथि दर्ज करने बारे कोई एतराज हो तो वह असालतन या वकालतन दिनांक 20-4-2009 को प्रातः 10.00 बजे इस अदालत में अपना एतराज प्रस्तुत करें उपस्थित न होने की सूरत में कार्यवाही एक पक्षीय अमल में लाई जाकर प्रार्थना-पत्र पर यथोचित आदेश पारित कर दिया जाएगा।

आज दिनांक 31-3-2009 को हमारे हस्ताक्षर व मोहर अदालत से जारी हुआ।

मोहर।

सन्त राम ठाकुर,
कार्यकारी दण्डाधिकारी,
तहसील पधर, जिला मण्डी (हि0 प्र0)।

ब अदालत श्री सन्त राम ठाकुर, कार्यकारी दण्डाधिकारी, तहसील पधर, जिला मण्डी (हि0 प्र0)

दिपक पुत्र स्व0 श्री देवी सिंह, गांव पधर, तहसील पधर, पधर, जिला मण्डी (हि0 प्र0) . . प्रार्थी।

बनाम

आम जनता

. . प्रत्यार्थी।

जेर धारा 13 (3) के अन्तर्गत जन्म तिथि दर्ज करवाने हेतु।

दिपक पुत्र स्व० श्री देवी सिंह, गांव पधर, तहसील पधर, जिला मण्डी (हि० प्र०) ने शपथी-पत्र सहित इस अदालत में एक प्रार्थना-पत्र गुजारा है जिसमें प्रार्थना की है कि प्रार्थी के पुत्र अक्षित कुमार का जन्म दिनांक 2-6-2007 को गांव पधर, ग्राम पंचायत डलाह में घर पर हुआ है उसके बाद परिवार सहित कार्य करने हेतु चला गया और उस समय वह अपने पुत्र का नाम व जन्म तिथि पंचायत रिकार्ड में दर्ज नहीं करवा सका, प्रार्थी को इस बात का पता तब चला जब वह बच्चे का जन्म सम्बन्धी प्रमाण-पत्र लेने पंचायत में गया। इस सम्बन्ध में प्रार्थी का स्वयं व दो गवाहों का शपथ-पत्र साथ संलग्न है प्रार्थी ने इस अदालत से प्रार्थना की है कि पंचायत डलाह में नाम अक्षित कुमार व जन्म तिथि 2-6-2007 को दर्ज करने के लिखित आदेश पारित करने की कृपा करें।

अतः इस इशतहार द्वारा आम जनता को सूचित किया जाता है कि यदि किसी व्यक्ति को उपरोक्त नाम व जन्म तिथि दर्ज करने बारे कोई एतराज हो तो वह असालतन या वकालतन दिनांक 20-4-2009 को प्रातः 10.00 बजे इस अदालत में अपना एतराज प्रस्तुत करें उपस्थित न होने की सूरत में कार्यवाही एकपक्षीय अमल में लाई जाकर प्रार्थना-पत्र पर यथोचित आदेश पारित कर दिया जाएगा।

आज दिनांक 31-3-2009 को हमारे हस्ताक्षर व मोहर अदालत से जारी हुआ।

मोहर।

सन्त राम ठाकुर,
कार्यकारी दण्डाधिकारी,
तहसील पधर, जिला मण्डी (हि० प्र०)।

ब अदालत श्री सन्त राम ठाकुर, कार्यकारी दण्डाधिकारी, तहसील पधर, जिला मण्डी (हि० प्र०)

केशव राम पुत्र श्री अमर सिंह, निवासी मरत्वाण, डा० झटिंगरी, तहसील पधर, जिला मण्डी (हि० प्र०)
.. प्रार्थी।

बनाम

आम जनता

.. प्रत्यार्थी।

जेर धारा 13 (3) के अन्तर्गत जन्म-तिथि दर्ज करवाने हेतु।

केशव राम पुत्र श्री अमर सिंह, निवासी मरत्वाण, डा० झटिंगरी, तहसील पधर, जिला मण्डी (हि० प्र०) ने शपथी-पत्र सहित इस अदालत में एक प्रार्थना-पत्र गुजारा है जिसमें प्रार्थना की है कि उसकी पुत्री कुमारी तानिया ठाकुर का नाम व जन्म तिथि 28-8-2006 को गांव मरत्वाण, ग्राम पंचायत जिल्हण में घर पर हुआ है गलतीवश ग्राम पंचायत जिल्हण के तमाम कागजात में दर्ज नहीं करवा सका है। अतः प्रार्थी ने इस अदालत से प्रार्थना की है कि उसकी पुत्री कुमारी तानिया ठाकुर की जन्म तिथि 28-8-2006 ग्राम पंचायत जिल्हण के तमाम रिकार्ड में दर्ज करने के लिखित आदेश पारित करने की कृपा करें।

अतः इस इशतहार द्वारा आम जनता को सूचित किया जाता है कि यदि किसी व्यक्ति को उपरोक्त नाम व जन्म तिथि दर्ज करने बारे कोई एतराज हो तो वह असालतन या वकालतन दिनांक 20-4-2009 को प्रातः 10.00 बजे इस अदालत में अपना एतराज प्रस्तुत करें उपस्थित न होने की सूरत में कार्यवाही एक पक्षीय अमल में लाई जाकर प्रार्थना-पत्र पर यथोचित आदेश पारित कर दिया जाएगा।

आज दिनांक 31-3-2009 को हमारे हस्ताक्षर व मोहर अदालत से जारी हुआ।

मोहर।

सन्त राम ठाकुर,
कार्यकारी दण्डाधिकारी,
तहसील पधर, जिला मण्डी (हि0 प्र0)।